


REVISION HISTORY		
REV.	DESCRIPTION	DATE
A	INITIAL RELEASE PER LM10201	2010-01-08




REAR OF VEHICLE

WIRING KEY				
PIN	COLOR	COMPONENT	TYP. MAX CURRENT(A)	COMMENT
N/A	RED	ROTATORS -OUTER	10.2	
N/A	BLU	ROTATORS -INNER	5.1	
N/A	BLK	GROUND	40A Limit	RING TERMINAL

SPECIFICATIONS

1. FLASH MODE: MAXIMUM: 1120 FPM
2. VOLTAGE (NOMINAL): 12 VDC
3. CURRENT (NOMINAL): 15.3 A
4. CONNECTION: 14 OR 16 AWG WIRES IN CABLE
5. MOUNTING: 4-BOLT THROUGH MOUNTING KIT
6. BASE MATERIAL: ALUMINUM
7. LENS MATERIAL: POLYCARBONATE



- NOTES:**
1. CABLES AND WIRING NOT SHOWN
 2. TOP VIEW: TOP LENSES NOT SHOWN FOR CLARITY
 3. MOUNTING FEET: ADD 30mm TO OVERALL HEIGHT
 4. THE LENGTH BETWEEN MOUNTING FEET IS ADJUSTABLE
 5. CABLE LENGTH - 4.5m [15.0'] FROM INTERNAL CONNECTOR
 6. CABLE EXIT - DRIVER'S SIDE
 7. DIMENSIONS IN MILLIMETERS [INCHES (FOR REFERENCE)]

NON DISCLOSURE AGREEMENT
THIS DRAWING AND THE DESIGN IT DISCLOSES ARE THE PRIVATE PROPERTY OF ECCO AND IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY. THE DRAWING AND / OR DESIGN MAY NOT BE USED, COPIED, REPRODUCED, OR OTHERWISE DISCLOSED IN PART OR AS A WHOLE TO OUTSIDERS OR USED FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF ECCO. THE DRAWING IS SUBJECT TO RECALL AT ANY TIME. YOUR POSSESSION OF THIS DOCUMENT CONSTITUTES ACCEPTANCE OF THESE TERMS. © 2010 ECCO

SCALE 1:8.5		
CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: A		
TOLERANCES ARE IN MILLIMETERS, AND INCHES TOLERANCES ARE:		
MILLIMETERS DECIMALS XX.X ± 0.2	INCH DECIMALS XX.X ± 0.2	ANGLES ± 0.5°
THIRD ANGLE PROJECTION		

APPROVALS	DATE	Electronic Controls Co. 833 West Diamond Street, Boise, ID 83705 800-635-5900 www.eccolink.com	
DRAWN BY RDE			
CHECKED		LBR, 60, 12V, 36" / 0.91M, 143-00660-60	
SALES		CUSTOMER PART NO. 6363011	
		PRODUCT SERIES: 60 Series Lightbar	
		SIZE: A	DWG. NO. 6363011
		SHEET 1 OF 1	Rev. A
		Project: LM10201	Date Created: 2010-01-08