



REVISION HISTORY		
REV.	DESCRIPTION	DATE
03	REVISED PER EL0064	2017-08-15
A	INITIAL RELEASE PER EL0064	2017-08-21
B	REVISE PER EC4730	2017-11-28



MOUNTING DISCLAIMER:
MOUNTING MEASUREMENT IS FOR REFERENCE ONLY.
MEASURE BEFORE DRILLING.

SPECIFICATIONS

1. CERTIFICATIONS:

Note: Unique components, accessories, and hardware kits are not typically included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.

2. RAW LUMENS: 740 lumens
3. EFFECTIVE LUMENS: 733 lumens
4. ILLUMINANCE: .24 lux
5. PEAK BEAM INTENSITY: 222 Candela
6. EFFICACY: 70 lm/W
7. CORRELATED COLOR TEMPERATURE: K
8. VOLTAGE (NOMINAL): 12 VDC
9. VOLTAGE (EXTREME): 9 to 16 VDC
10. CURRENT (PEAK): 0.76A (@ 12 VDC NOMINAL)
11. POWER (MAXIMUM): 10.5W (@ 12 VDC NOMINAL)
12. TEMPERATURE RANGE: -22°F (-30°C) TO 122°F (50°C)
13. CONNECTION: 2 LEAD WIRES
14. MOUNTING: 2 BOLT
15. HOUSING MATERIAL: ALUMINUM
16. LENS MATERIAL: POLYCARBONATE
17. PRODUCT WEIGHT: .18 LBS (0.08 Kg)

NOTES:

1. WIRES NOT SHOWN FOR CLARITY
2-22 AWG WIRES
RED - POSITIVE (+)
BLACK - NEGATIVE (-)
WIRE DIMENSION IS 5.50 ± 0.50 [140 ± 13] FROM WIRE EXIT TO END OF WIRES
2. FOR INTERNAL USE ONLY
3. ROHS COMPLIANT
4. DIMENSIONS IN INCHES [MILLIMETERS (FOR REFERENCE)]

DISCLAIMER

DIMENSIONS, ILLUSTRATIONS, SPECIFICATIONS AND CERTIFICATIONS CONTAINED IN THIS DOCUMENT ARE TYPICAL OF THE ACTUAL PRODUCT AND ARE SUBJECT TO CHANGE. ECCO ENGINEERING DOES NOT MAINTAIN FORMAL DESIGN CONTROL OF THIS PRODUCT.

SCALE 1:1.12		APPROVALS	DATE
CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: A		DRAWN BY	2017-11-21
		CHECKED ABD	2017-11-22
TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:		MECH. ENG.	
MILLIMETERS DECIMALS XX. ± 1.0mm XX.X ± 0.5mm	INCHES DECIMALS X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02	ELEC. ENG.	
	ANGLES ± 0.5°	TEST ENG.	
	FRACTIONS ± 1/64	SALES	
THIRD ANGLE PROJECTION		CUSTOMER PART NO. EW0141	
		PRODUCT SERIES:	
		SIZE: A	DWG. NO. EW0141
Electronically Controlled Use Latest Copy		SHEET 1 OF 1	Project: EL0064
		Date Created: 2017-02-10	REV. B



EXTRUSION STRIP, .5M, 12V, 30LED, FROST

THIS DRAWING AND THE DESIGN IT DISCLOSES ARE THE PRIVATE PROPERTY OF ELECTRONIC CONTROLS CO. AND IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY. THE DRAWING AND / OR DESIGN MAY NOT BE USED, COPIED, REPRODUCED, OR OTHERWISE DISCLOSED IN PART OR AS A WHOLE TO OUTSIDERS OR USED FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF ELECTRONIC CONTROLS CO. THE DRAWING IS SUBJECT TO RECALL AT ANY TIME. YOUR POSSESSION OF THIS DOCUMENT CONSTITUTES ACCEPTANCE OF THESE TERMS. © 2017 ELECTRONIC CONTROLS CO.