



REVISION HISTORY		
REV.	DESCRIPTION	DATE
01	PRELIMINARY RELEASE PER V14024	2018-07-25
02	REVISED PER V14024	2019-01-17
A	INITIAL RELEASE PER V14024	2019-03-20

SPECIFICATIONS

- CERTIFICATIONS: R10 & R65; SEE CHART
 Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.
- FLASH MODE: DOUBLE FLASH: 123 FLASHES PER MINUTE
- VOLTAGE (NOMINAL): 12 to 24 VDC
- VOLTAGE (EXTREME): 9 to 32 VDC
- CURRENT (PEAK): SEE CHART (@ 12 VDC NOMINAL)
- POWER (MAXIMUM): SEE CHART (@ 12 VDC NOMINAL)
- TEMPERATURE RANGE: -30°C (-22°F) TO 55°C (131°F)
- CONNECTION: 4-22 AWG WIRES
- MOUNTING: 4 BOLT FIXING
- BEZEL MATERIAL: POLYCARBONATE
- LENS MATERIAL: POLYCARBONATE
- PRODUCT WEIGHT: 0.3Kg (0.66 LBS)

FGS PRODUCT CHART					
CURRENT (MAX)	POWER	FGS. NO.	COLOUR	R10	R65
1.2A	14.4W	ED5110A	AMBER	X	X
1.2A	14.4W	ED5110B	BLUE	X	X
0.7A	8.4W	ED5110R	RED	X	X
0.9A	10.8W	ED5110W	WHITE	X	N/A

NOTES:
 1. DIMENSIONS IN MILLIMETRES [INCHES (FOR REFERENCE)]

PROPRIETARY AND CONFIDENTIAL INFORMATION
 THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEREIN ARE THE PROPERTY OF ELECTRONIC CONTROLS COMPANY AND/OR ITS ECCO SAFETY GROUP AFFILIATES ("ECCO") AND IS ISSUED IN CONFIDENCE TO RECIPIENT FOR ENGINEERING INFORMATION PURPOSES ONLY. THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEREIN MAY NOT BE USED, COPIED, REPRODUCED OR OTHERWISE DISCLOSED IN PART OR IN WHOLE TO THIRD PARTIES OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR ECCO WRITTEN CONSENT. ECCO RESERVES ALL PATENT, COPYRIGHT, TRADEMARK, AND OTHER PROPRIETARY RIGHTS TO THIS DOCUMENT, INCLUDING ALL DESIGN, MANUFACTURING, REPRODUCTION, USE AND SALES RIGHTS THEREOF. THIS DRAWING IS SUBJECT TO RECALL BY ECCO AT ANY TIME, AND YOUR POSSESSION AND/OR USE CONSTITUTES ACCEPTANCE OF THESE TERMS. ©2018 ELECTRONIC CONTROLS COMPANY

SCALE 1:2		APPROVALS	DATE
CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: A		DRAWN BY: JUP	2019-02-22
TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:		CHECKED: LSH	2019-02-22
MILLIMETERS DECIMALS XX. ± 1.0mm XX.X ± 0.5mm	INCHES DECIMALS X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02	MECH. ENG. FP	2019-01-29
		ELEC. ENG. MMG	2019-02-15
		TEST ENG. GDH	2019-02-22
		SALES.	
THIRD ANGLE PROJECTION		Electronically Controlled Use Latest Copy	

		www.eccolink.com	
		Americas (800) 635-5900 Europe +44 (0)113 237 5340 Asia Pacific +61 (0)3 63322444	
SECURILED, DIRECTIONAL, SURFACE MOUNT			
CUSTOMER PART NO. ED5110X		PRODUCT SERIES: 5110	
SIZE: A4	DWG. NO. ED5110X	REV. A	
SHEET 1 OF 1		Project: V14024	Date Created: 2018-07-25